

Restaurant Inspections

Putnam County Health Department, Greencastle, Indiana

Date Range: 08/01/2017 thru 08/31/2017

Establishment	Date	Critical	NonCritical	Repeat	Narrative
ANTHONY'S PIZZERIA - GREENCASTLE	08/29/17	2	2	0	<ul style="list-style-type: none"> • Cheese Dip Probed At 95 Degrees, Should Be At 135 Degrees Or More. • Pasta, Sauce, And Cheese Not Date Marked In Coolers. • Chicken Not Being Thawed Properly, • No Test Strips
BERT AND BETTY'S KITCHEN	08/30/17				<ul style="list-style-type: none"> • No Violations
BRIDGES CRAFT PIZZA AND WINE BAR	08/24/17				<ul style="list-style-type: none"> • Cleared To Open-No Violations
BURGER KING #6431	08/31/17				<ul style="list-style-type: none"> • No Violations
CASEY'S GENERAL STORE #1948	08/28/17	2	1	0	<ul style="list-style-type: none"> • Food In Prep Fridge Has An Out Of Date(Expired) Tag • Spray Bottles Not Properly Labeled. • Mop In Kitchen Was Left In Water All Night Not Hung Up To Dry.
CLOVER MEADOWS GOLF COURSE	08/28/17	0	2	0	<ul style="list-style-type: none"> • Drawer And Cabinet In Kitchen Not Clean To Sight Or Touch. • No Test Strips
DEPAUW UNIVERSITY - BLEND	08/25/17	1	1	0	<ul style="list-style-type: none"> • Ice Machine Had Residue To Sight On Inside Plastic Divider. • Hand Washing Sink Not Being Used Properly.
DIXIE BBQ	08/17/17	0	2	0	<ul style="list-style-type: none"> • No Thermometer On Site To Check Temps. • No Test Strips Available.
EL CANTARITO MEXICAN GRILL	08/28/17	2	3	0	<ul style="list-style-type: none"> • Back Door Not Sealed And Has Visible Air Gaps. • Salsa Probed At 44 Degrees, Milk At 53 Degrees Should Be At 41 Degrees Or Less. • Gloves Weren'T Changed In Between Tasks In Kitchen. • No Test Strips On Site To Test Sanitizer • Outside Receptacles Did Not Have A Lid To Keep Out Vermin.
GUCKENHEIMER SERVICES @ ASCENA	08/22/17				<ul style="list-style-type: none"> • No Violations
HATCHET HOUSE BBQ	08/25/17	0	4	0	<ul style="list-style-type: none"> • No Thermometer In Any Of The Refrigerators • No Thermometer For Internal Food Temperatures • No Hot Water Available • Rub Labels Didn'T Have Ingredients Listed On Them.

The Putnam County Health Department and Indiana State Department of Health is authorized by law to ensure that foods are safe, wholesome and sanitary; regulated products are honestly and accurately represented; and, these products along with food establishments permitted in Putnam County are in compliance with the county and state laws and regulations. Inspections are done following ordinance, 2005-4-4-2 Retail Food Establishment & Bed and Breakfast Establishment Ordinance, and state rule, 410-IAC 7-24 Retail Food Establishment Sanitation Requirements. These laws and regulations are designed to provide a more comprehensive approach to protecting the customer from contaminated food and food borne illness.

Restaurant Inspections

Putnam County Health Department, Greencastle, Indiana

Date Range: 08/01/2017 thru 08/31/2017

Establishment	Date	Critical	NonCritical	Repeat	Narrative
KJH PETROLEUM	08/30/17	1	3	0	<ul style="list-style-type: none"> · Baby Food On Shelf Expired · Personal Care Items Stored In Food Prep Area · No Hair Restraints · Grease Hood Has Build Up On It
KWIK MART	08/24/17	2	0	0	<ul style="list-style-type: none"> · Toxic Chemicals And Food Were Stored Together. · Products In Cooler Being Sold Had An Expired Date.

The Putnam County Health Department and Indiana State Department of Health is authorized by law to ensure that foods are safe, wholesome and sanitary; regulated products are honestly and accurately represented; and, these products along with food establishments permitted in Putnam County are in compliance with the county and state laws and regulations. Inspections are done following ordinance, 2005-4-4-2 Retail Food Establishment & Bed and Breakfast Establishment Ordinance, and state rule, 410-IAC 7-24 Retail Food Establishment Sanitation Requirements. These laws and regulations are designed to provide a more comprehensive approach to protecting the customer from contaminated food and food borne illness.